

# GATOR

Pro Audio Catalog 2008



# GATOROLOGY - <noun> A system of methods and principles for quality.

## LIGHTWEIGHT CONSTRUCTION

This method of construction is a blend between dense foam and nylon. The interiors are constructed with a dense EPS foam that is shaped to create a "hard" case. Then we cover the foam with high quality 600 denier nylon to make it appear similar to a bag yet have the rigidity of a hard case.

## DENIER NYLON

A strong nylon material that is used in the construction of bags. The higher the number, such as 600-denier, the better the quality. 600-denier is highly tear and water resistant.

## G-TOUR

G TOUR is GATOR designed flight cases with heavy duty aluminum extrusions and rugged PVC laminated plywood exterior. All hardware is Pen-Elcom with M.O.L. latches.

## SHOCK MOUNT RACK

A mounting system that supports the rack freely on rubber shock absorbers inside the exterior transportation container to absorb the maximum amount of shock and vibration.

## PE- HIGH DENSITY POLYETHYLENE

PE is a rugged plastic material which has a high resistance to impact. PE provides good performance in low temperatures where other plastics would crack and is highly resistant to both chemicals and moisture. Gator uses PE for the products that need to take the hardest beating on the road.

## ABS- ACRYLONITRILE BUTADINE STYRENE

ABS plastic has good impact resistance and impact absorption. It is easily formed to make all shapes and sizes. Gator uses ABS for the cases that are designed to offer strong hard case protection but do not need the extreme durability of PE.

## EVA ETHYLENE-VINYL ACETATE

EVA is a polymer used to absorb physical shock. Gator uses EVA to give extra protection between foam and nylon along with forming tough contoured molded pieces.

## EPS FOAM - EXPANDED POLYSTYRENE

EPS is a thermal plastic material. It is formed to make a dense foam that is ideal for creating form fit protection for the product. Gator uses EPS to create case interiors and structures.

## ROTO-MOLD

The rotational molding process is a high temperature, low pressure plastic forming process that uses heat and biaxial rotation (i.e. rotation on two axes) to produce hollow, one piece parts. Gator utilizes roto-molding for large format products that required form fitting capabilities.

## RACK UNIT (U)

Each rack unit "U" is a S.A.E. standard measurement that is always 19" in width. Each 1U is 1.75" high.

## M.O.L.

Gator terminology to define the biggest and best latch out there. The "Mother Of-A Latch"

## Table of Contents

Utility Cases & Bags	1
DJ Cases & Bags	4
Lighting Cases & Bags	6
Plasma Cases & Covers	7
Microphone Cases & Bags	9
Mixer Cases & Bags	12
PC / AV Cases & Bags	15
Rack Cases & Bags	18
Rack Enclosures	24
Essentials Rack Accessories	28



All measurements are for reference only and are subject to change or vary at any time.  
Please check [www.gatorcases.com](http://www.gatorcases.com) for updated information on all Gator products.

**G-TOUR® CARRY-ON CASES**

Gator's G-Tour Carry-on Series provides superior protection while maintaining airline carry-on requirements. These cases are constructed of 5mm plywood covered with a rugged PVC coating and include the G-Tour signature red Penn Elcom recessed MOL twist latches, spring-loaded rubber-gripped handles and hardware. The recessed in-line style wheels, retractable handle and reinforced stackable ball corners make these cases the perfect carry-on solution.

**G-TOUR-CARRY-ON PL Includes:**

- Adjustable Tricot-covered EPS padded compartment with removable wedges for projectors
- Removable EVA foam-padded tray to hold laptop
- Convuluted foam lid for snug fit of laptop

**G-TOUR-CARRY-ON FO Includes:**

- Removable diced foam interior for customizing



Model	Weight	Interior Dimensions	Laptop Tray dimensions	Expandible Projector Cavity	2 Accessory Compartments	Exterior Dimensions
G-TOUR-CARRY-ON PL	20 lbs	N/A	15"x11.125"x1.5"	9.5"x7.5"x4" - 14"x11"x4"	5.75"x2.5"x4.25"	22"x14"x9"
G-TOUR-CARRY-ON FO	18 lbs	19"x12.5"x6.5"	N/A	N/A	N/A	22"x14"x9"

**G-TOUR® TRUCK PACK TRUNKS****Features:**

- 9mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Bright® zinc-plated hardware and reinforced stackable ball corners
- Truck pack trunk with hinged lid and grey carpet interior
- Recessed dishes on top of case allow stackability
- 4 Casters, 2 locking



Model	Weight	Interior Dimensions	Exterior Dimensions without casters
G-TOUR-TRK 3022-HS	63 lbs	28"x20.75"x20.75"	30"x22"x22"
G-TOUR-TRK 4530-HS	88 lbs	43"x28"x28"	45"x30"x30"

**G-TOUR® UTILITY CASE****Features:**

- Diced removable polyethylene foam to enhance customizing
- Plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Tongue & groove extruded aluminum valance & heavy-duty Penn Bright® zinc-plated hardware

Model	Weight	Interior Dimensions	Exterior Dimensions
G-TOUR-12X17	17 lbs	12"x17"x7.5"	15.55"x20"x11"



**ATA UTILITY CASES**



**All Feature:**

- Lightweight nearly indestructible polyethylene construction
- Triple chrome-plated recessed lockable twist latches
- Heavy-duty valances
- Chrome-plated protected corners

**GX-1 Includes:**

- Briefcase style interior

**GX-2 Includes:**

- 5 Movable Velcro® dividers
- Up to 7 separate storage compartments
- Diced foam in lid

Model	Weight	Interior Dimensions	Exterior Dimensions
GX-1	7 lbs	17.5"x12.25"x5.25"	18.9"x15.35"x6.89"
GX-2	9 lbs	17.5"x12.25"x7.75"	18.9"x15.35"x6.89"



**GX-42 Features:**

- Adjustable interior with 1 Movable Velcro® divider and nylon pouch
- 12 Foam form-fitted mic drops
- Lightweight polyethylene construction with wheels and tow handle
- Triple chrome-plated lockable twist latches
- Heavy-duty valance and chrome-plated protected corners

Model	Weight	Interior Dimensions	Exterior Dimensions
GX-42	22 lbs	32.75"x16.25"x7.25"	44.29"x19.29"x9.84"

**ATA DICED FOAM UTILITY CASES**



**All Feature:**

- Diced foam interior which is easily modified for perfect fit
- Lightweight nearly indestructible polyethylene construction
- Triple chrome-plated recessed lockable twist latches
- Heavy-duty valance

**GX-3 Includes:**

- Chrome-plated reinforced corners

**GX-1718-7 Includes:**

- 90 Degree hinged lid
- Spring-loaded carry handle

**GX-1921-7.5 Includes:**

- Chrome-plated reinforced corners
- Recessed spring-loaded pull-out carry handle & wheels

Model	Weight	Interior Dimensions	Exterior Dimensions
GX-3	9 lbs	17.5"x12.25"x7.75"	18.9"x15.35"x9.65"
GX-1718-7	13.23 lbs	17"x18"x7"	22.05"x20.47"x8.86"
GX-1921-7.5	23.15 lbs	21"x19"x7.5"	27.36"x23.43"x11.81"

Check out our cross reference at [www.gatorcases.com](http://www.gatorcases.com) and see what case fits your gear



**GX-1224-8 Features:**

- Nearly indestructible polyethylene construction
- 3-layer diced foam interior
- 4 Recessed spring-loaded handles
- Heavy-duty aluminum valance
- Recessed spring-loaded latches

Model	Weight	Interior Dimensions	Exterior Dimensions
GX-1224-8	11 lbs	24"x12"x8"	27"x15"x11"

## ROTATIONAL MOLDED UTILITY CASE



## Features:

- Grey rotational molded nearly indestructible polyethylene
- 3 layers of foam interior
- Heavy-duty exterior ribbing for durability with recesses to protect spring-loaded latches, handles, and wheels
- Exterior recessed removable document window on top of case for contents identification
- Tow handle and recessed wheels

Model	Weight	Interior Dimensions	Exterior Dimensions
GX-1928-17	41 lbs	19"x28"x17"	34"x24"x22"

## ATA TOOL PALLET CASE



## Features:

- Rugged nearly indestructible polyethylene construction
- Comes with 2 removable standard tool pallets
- Bottom filled with 4" layered foam
- Recessed wheels & carpeted interior
- Retractable pull-out handle and lockable latches
- Heavy-duty aluminum valance and lid stay

Model	Weight	Interior Dimensions	Exterior Dimensions
GX-1813-PLT	15 lbs	18"x13"x7"	20"x15"x9"

## UTILITY BAGS



## Features:

- 600-Denier nylon exterior
- 20mm padded Tricot-covered interior
- Removable Velcro® divider
- Viewable business card holder
- Nylon reinforced web handles
- #10 zippers and rubber feet

Model	Weight	Interior Dimensions	Exterior Pocket Dimensions
GX-BAG-1313-15	2.8 lbs	15"x13"x13"	9"x9"x1.5"
GX-BAG-2112-12	3 lbs	21"x12"x12"	17"x9"x1.5"

## Features:

- Separate lift-out storage tray
- Exterior storage pocket
- 600-Denier nylon over 1/2" plywood construction
- Wheels & pull-out handle as well as side lift handles
- Padded interior

Model	Weight	Interior Dimensions	Exterior Dimensions
GX-20	18.2 lbs	20.5"x13.75"x13.13"	24.5"x16.5"x15.5"
GX-22	35 lbs	30"x24"x12"	35.04"x26.97"x16.34"

## CABLE CADDIES



**G-TOUR® CD PLAYER CASES**

**Features:**

- 5mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Bright® zinc-plated hardware
- 2 sliding access doors in front and rear allow use while in case
- EVA foam-padded and carpet covered interior
- Adhesive-backed EVA foam blocks for proper fit of various models
- Convoluted foam in lid and breakaway hinges
- Top can be put on with cables extending out the rear access to leave connected



Model	Weight	Adjustable Interior Dimensions	Exterior Dimensions	Fits
G-TOUR CD-9X12	10.6lbs	9"x9"-9"x12.5" Height 4.25"	15"x11.50"x9"	Pioneer CDJ100®, CDJ200®, Stanton S250®, American Audio CDS1®, Numark Access8®, Access9® & Denon S1000® and more
G-TOUR CD-13X17	14.2lbs	9"x12.25"-13"x17" Height 4.25"	19.75"x15.50"x9"	Pioneer DVJ-1000®, CDJ 1000®, Numark Axis-4®, Denon S3000®, Technics DZ-1200® and more



**G-TOUR® CD / MIXER CASES**

**Features:**

- Designed to hold two CD players and one 10" mixer
- 5mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Elcom® zinc-plated hardware
- Recessed Penn Elcom® in-line wheels
- Adhesive-backed EVA foam blocks for proper fit of various models



Model	Weight	Adjustable Interior Dimensions	Exterior Dimensions
G-TOUR-CD/MIX-9X12	26.4lbs	sides 9"x9" - 9"x12.5" middle 10"x12.5" - 12.5"x12"	35"x16"x9.5"
G-TOUR-CD/MIX-13X17	31.80lbs	sides 9"x12.5" - 13"x17" middle 10"x17" - 12"x17"	44"x20"x9.5"



**G-TOUR® TURNTABLE CASE**

**Features:**

- Heavy-duty Penn Elcom® zinc-plated hardware
- 5mm plywood construction with PVC exterior
- Tongue and groove extrusion aluminum valance
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Completely removable lid



Model	Weight	Interior Dimensions	Exterior Dimensions
G-TOUR-T-TABLE	17.6lbs	18.25"x14.75"x6.25"	20.5"x20.5"x8.5"



**MEDIA PRO BACKPACK**

**Features:**

- Designed for mobile recording and DJ
- Includes audio interface, DJ Serato™ style interface and external hard drive pockets
- Section for audio mixer, DJ mixer or projector
- MP3 storage compartments with several grommets for headphones
- Interior storage for cables with Velcro® cable management
- Laptop pocket
- 1680-Denier nylon EVA reinforced exterior with 420-Denier nylon interior
- Padded backpack straps and carry handle
- Breathable ventilation channel to keep cool when wearing
- Pocket with custom fit raincoat for bag
- Key chain holder
- Holds micro keyboards



Model	Weight	(2) Interior Pocket #1	(2) Interior Pocket #2	(1) Interior Pocket #3	(2) Interior Pocket #4	External Dimensions
G-MEDIA PRO-BP	5 lbs	12"x15"x4"	6"x2"x2"	15"x17"x2"	5"x8"x2.5"	18"x16"x10"
G-MEDIA PRO-2U	2 Unit Rack Backpack - See <a href="http://www.gatorcases.com">www.gatorcases.com</a> for more information					

**TURNTABLE CASES**

**GDJ-1500 Features:**

- 600-Denier nylon construction
- Removable lid
- Carrying strap
- Exterior storage compartment
- Thick EPS foam protection

**GDJ-2500 Features:**

- Lightweight polyethylene construction
- Triple chrome-plated hardware
- Lockable twist latches
- Retractable carrying handle
- Completely removable lid



Model	Weight	Interior Dimensions	Exterior Dimensions
GDJ-1500	9lbs	19.25"x15.75"x5.75"	22.64"x19.29"x9.06"
GDJ-2500	11lbs	18"x17"x6.5"	22.05"x20.47"x8.66"

**LIGHTWEIGHT CD / MIXER CASE**

**Features:**

- Webbed handle, carrying strap and exterior accessory pocket
- Holds two (2) CD players and one (1) 10" mixer
- Hard foam protection & rear access ports
- Durable 600-denier nylon construction
- Detachable lid



Model	Weight	Interior CD Section Dimensions (2)	Exterior Dimensions
GDJ-DJ-CASE	12lbs	15"x8.75"x4.25"	29.72"x18.11"x9.45"

**CD CARRY CASE**

**Features:**

- 600-Denier nylon construction
- Adjustable Velcro® dividers stores up to 300 CD's
- Carrying strap
- Large #10 zippers
- Thick EPS foam protection



Model	Weight	Interior Dimensions	Exterior Dimensions
GDJ-CD-300	8lbs	16"x12"x5.75"	19.29"x15.55"x8.86"

**ROLLING LIGHT / STAND CASE**

- Features:**
- Holds 4 standard Par-38's plus light bar & stand
  - Built-in wheels & tow handle
  - Exterior pocket
  - Interior wood frame covered in 600-Denier nylon



Model	Weight	Stand Comptmt. Dimensions	Light Comptmt Dimensions	Exterior Dimensions
G-LITE-STAND	32lbs	44"x4.5"x10.5"	44"x6"x10.5"	50.79"x15.55"x15.55"

**LIGHTING BAGS**

- GP-40 Features:**
- 30mm spongy foam lining with synthetic fur lining
  - Exterior accessory pocket
  - Carry handles & removable shoulder strap

- GP-66 Features:**
- Durable 600-Denier nylon construction
  - 20mm foam protection with synthetic fur lining
  - Web handles & shoulder strap
  - Movable Velcro® interior dividers
  - Exterior storage pocket



Model	Weight	Interior Dimensions	Exterior Dimensions
GP-40	5lbs	14.5"x12.5"x12.5"	18"x14"x14"
GP-66	3lbs	18"x10"x7"	19.5"x12"x8.5"

**LIGHTING BAGS**



- Features:**
- 600-Denier nylon exterior with 20mm padded Tricot-covered interior
  - Padded removable Velcro® divider to fit smaller portable lights
  - Viewable business card holder
  - Nylon reinforced web handles

Model	Weight	Interior Dimensions	Exterior Pocket	Fits
GX-BAG-1313-15	2.8 lbs	13"x13"x15"	9"x9"x1.5"	American DJ Color150®, Chauvet Abyss II®, great for mirror balls too
GX-BAG-2112-12	3 lbs	21"x12"x12"	17"x9"x1.5"	American DJ Scan 250®, Dynofog II®, Chauvet Blaze®, Elation Pro Color®

**PAR CAN TRANSPORTERS**

- Features:**
- Holds 4 Par-64's
  - Compact 600-Denier nylon
  - Collapsible construction
  - Individual compartments for par cans
  - Built-in wheels
  - Pull-out handle
  - Removable Velcro® divider



Model	Weight	Interior Dimensions	Dimensions inside dividers	Exterior Dimensions
G-PAR 64	33lbs	24.5"x24"x19.75"	11"x11"x19.75"	30.51"x27.95"x20"

- Features:**
- Holds 8 Par-38's
  - Compact 600-Denier nylon
  - Collapsible construction
  - Individual compartments for par cans
  - Built-in wheels pull-out handle
  - Removable Velcro® divider



Model	Weight	Interior Dimensions	Dimensions inside dividers	Exterior Dimensions
G-PAR 38	22lbs	34.5"x16.5"x9.5"	8"x8"x9.5"	40"x20"x10"



## G-TOUR® LIFT 50

Gator's G-Tour non-electric hydraulic-assisted Lift case fits most 52" LCD and plasma screens and extends smoothly with a load of up to 125 pounds with ease. The lift mechanism locks at various heights of 70", 64", 58" and 52" and has a maximum mount center height of 72". The Lift Case features the "lock block" safety technology which prevents accidental release and comes with a built-in retractable UL-approved electrical cord for powering your equipment. The G-Tour Lift50 is constructed of thick 12mm plywood, a rugged PVC exterior and Gator's signature red Penn Elcom® recessed MOL twist latches, spring loaded rubber-gripped handles and heavy-duty Penn Brite® zinc plated hardware. The removable laptop shelf, black case drape and pro grade 2" wide casters (2 locking) make this case design attractive and functional for any application.

Model	Weight	Interior LCD Space	Exterior Dimensions
G-TOURLCDLIFT50	297 lbs	52"x34"x10"	55.90"x52.40"x24.40"



See the G-Tour Lift50 case in action on [youtube.com](http://youtube.com) keyword; Gator Lift50



**G-TOUR® LCD CASES**



**Features**

- LCDP-2632 fits most 26 to 32 inch LCD / Plasma screens
- LCDP-3743T fits most 37 to 43 inch LCD / Plasma screens
- 9mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber gripped handles
- Heavy-duty Penn Elcom® zinc-plated hardware and reinforced ball corners
- Attached caster board with 4 wheels, 2 of which are locking
- Carpet-lined with polyurethane foam corners
- Polyethylene wedges to ensure proper fit for various sizes
- Extra wide caster board to prevent tipping

*\*minor assembly for casters*

Model	Weight	Interior Dimensions	Exterior Dimensions
G-TOUR-LCDP-2632	58 lbs	32.50"x25.75"x6.75"	39.88"x37.50"x15"
G-TOUR-LCDP-3743T	92 lbs	42.50"x25.50"x7"	49.75"x31"x11"
G-TOUR-LCDP-50	136 lbs	50.13"x32.50"x9"	57.5"x37.5"x13"
G-TOUR-LCDP-60	158 lbs	58.33"x36.25"x9"	65.75"x41.25"x13.25"



**Features**


- Fits most 20 to 23 inch LCD & Plasma screens
- 9mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Elcom® zinc-plated hardware
- 2 recessed in-line style wheels and tow handle make for easy transport
- Reinforced stackable ball corners and hinged lid
- Lined with polyurethane foam
- Polyethylene wedges to ensure proper fit for various sizes

Model	Weight	Interior Dimensions	Exterior Dimensions
G-TOUR-LCDP-2023	27 lbs	24"x20.13"x7"	28.98"x20.48"x13.78"

**LCD MONITOR CASES**

**Features**

- Lightweight LCD monitor carry case
- Lined polyethylene foam interior and 600 Denier nylon exterior
- Tricot-covered Velcro® adjustable interior blocks for various sized monitors and bases
- Rugged nylon web carry handle
- Exterior viewable document and 2 viewable business card pockets
- Exterior expandable accessory pocket



Model	Weight	Interior Dimensions	Exterior Dimensions
G-LCD-1922	6 lbs	20.25"x19"x9.5"	22.75x22.5x11.5
G-LCD-2224	8 lbs	25"x20"x9.5"	27.5x23.5x11.5

**PLASMA SCREEN COVERS**

**Features**


- Heavy-duty water barrier nylon exterior
- Rigid polyethylene sheet sewn into liner for protection
- 10mm protective padding with Tricot interior
- Rear access for using cover when screen is on mount
- External document pocket



Model	Weight	Exterior Dimensions
G-LCDCOVER-3819	4 lbs	39"x19.30"x2"
G-LCDCOVER-42	5 lbs	42.90"x28.40"x2"
G-LCDCOVER-52	5 lbs	48"x32.70"x2"



**G-TOUR® M-15 MICROPHONE CASE**



*Gator's G-Tour M15 microphone case is where functionality meets durability. The case features 15 foam padded microphone drops and a large storage space for accessories. With Gator's signature red Penn Elcom® recessed MOL twist latches, spring-loaded rubber-gripped handles, 5mm plywood construction and Penn Bright® heavy-duty hardware this case is ready for the road.*

Model	Weight	Mic Drop Depth	Interior Dimensions	Exterior Dimensions
G-TOUR M-15	17.64 lbs	5.25"	12.25"x9.5"x8"	20.08"x15.55"x11.02"

**G-TOUR® WIRELESS MICROPHONE CASE**

**Features:**

- Holds 4 hand held microphones with clips, body packs, headsets, and extra batteries
- G-WIRELESS-2-GO upper nest inside case
- Convoluted foam in lid
- Battery cutout section holds 16 AA batteries
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Bright® zinc-plated hardware



Model	Weight	Mic Cavity	Body Pack Cavity	Exterior Dimensions
G-TOUR WIRELES4	20 lbs	10.25"x2"2"	4"x2.25"x1.25"	20.80"x15"x9.50"

**WIRED MICROPHONE CASES**



**GM-15 Features:**

- Lightweight polyethylene construction
- Triple chrome-plated recessed lockable twist latches
- Chrome-plated corner protectors
- 15 Microphone drops
- Interior storage space

**GM-6-PE Features:**

- Lightweight polyethylene construction
- Triple chrome plated locking latches
- Compact briefcase design
- 6 Foam form-fitted microphone spaces

Model	Weight	Interior Dimensions	Exterior Dimensions
GM-15	9 lbs	12.13"x9.50"x8"	18.90"x15.35"x9.65"
GM-6-PE	4 lbs	(6 mic slots) - 8"x2"x2"	13"x8"x5"



**WIRED MICROPHONE BAGS**



**GM-4 Features:**

- Durable 600-Denier nylon construction
- Web handles & comfort shoulder strap
- 4 Microphone drops
- Interior storage space
- Exterior storage pocket

**GM-12B Features:**

- Durable 600-Denier nylon construction
- Designed to hold 12 microphones
- Exterior pocket for cables & accessories
- Padded shoulder strap for easy transport

Model	Weight	Mic Drop Depth	Exterior Dimensions
GM-4	2 lbs	7"	13"x9"x6"
GM-12B	3 lbs	5.5"	16"x8"x10"

**SINGLE ATA WIRELESS SYSTEM CASE**



**Features:**

- Rugged stackable polyethylene construction
- Designed for single wireless system to be used in the case
- Includes space for body pack and microphone
- Access for antenna to be extended while in the case
- Space for lavalieres, cables, & wireless mic with transporter mounted
- Front & rear access for easy setup in the field
- Adjustable tray height

Model	Weight	Mic Drop Depth	Interior Receiver Dimensions	Exterior Dimensions
GM-1WP	5 lbs	8.25"	8.5"x8.5"x2"	15.94"x14.57"x5.91"

**SINGLE WIRELESS SYSTEM BAG**



**Features:**

- Designed for single wireless system to be used in the case
- Access for antenna to be extended while in case
- Space for lavalieres, cables, and wireless mic with receiver mounted
- Front & rear access unzips for easy setup in the field
- Shoulder strap and ID window

Model	Weight	Mic Drop Depth	Interior Receiver Dimensions	Exterior Dimensions
GM-1W	4.40 lbs	8.25"	8.5"x8.5"x2"	15.35"x11.42"x5"

**WIRELESS SYSTEM BAGS**



**GM-2W Features:**

- Designed to fit two wireless systems
- Durable 600-Denier nylon exterior
- 2 Extra-deep mic drops
- Compartments for wireless receivers
- External storage compartments

**GM-5W Features:**

- Designed to fit 5 wireless systems
- Durable 600-Denier nylon exterior
- Large storage compartment for receivers and accessories
- Shoulder strap

Model	Weight	Mic Drop Depth	Interior Receiver Dimensions	Exterior Dimensions
GM-2W	3 lbs	8.5"	8.5"x8.5"x3.25"	16"x12"x5"
GM-5W	2.65 lbs	8.5"	8.5"x7"x4"	17"x12"x6"

**MULTIPLE ATA WIRELESS SYSTEM CASES**

**Features:**

- Holds 7 wireless microphones with battery attached (up to 10-1/2")
- Rugged polyethylene construction
- Triple chrome-plated hardware
- Recessed lockable latches
- Protective Tricot-lined interior
- 2 Lift-out trays with 4 adjustable dividers



Model	Weight	Mic Drop Depth	Interior Receiver Dimensions (2)	Exterior Dimensions
GM-7W	10 lbs	10.5"	9.5"x5.5"x1.75"	18.90"x13.78"x13.78"

**Features:**

- Rugged polyethylene construction
- Holds 4 wireless systems
- 4 Half rack shelves with double sided tape
- 4 Slot mic/body pack holder under trap door in lid
- Accessory pocket
- Convuluted foam lid
- Reinforced chrome corners
- Recessed chrome twist latches
- Carpet lined interior
- Top mounted carry handle
- Rubber feet



Model	Weight	Mic Drop Depth	Interior Receiver Dimensions (4)	Exterior Dimensions
GM-4WR	11 lbs	10.5"	11"x16"x1.5"	19.09"x14.96"x10.83"

**WIRELESS SYSTEM / RACK CASES**

**Features:**

- Lightweight-style rack bags great for effects processors, recording equipment, and wireless microphones
- Works with 6 1/2 space wireless units or 4 1/2 space wireless units and 1 antenna combiner
- 3U Rack space with threaded field-replaceable rack rails
- Microphone pocket holds 6 wireless microphones or 6 body packs in padded foam insert
- Polyethylene-reinforced interior frame & internal reinforced aluminum valance
- 600-Denier nylon exterior, lightweight yet rigid
- New enlarged rear flap allows access to entire rear panel of equipment
- Retractable, removable handle and wheels
- Interior mesh pocket for accessories



Model	Weight	Interior Dimensions	Exterior Dimensions
GRBW-3U+6W	13.5 lbs	12.50"x19"x5.25"	15.5"x23"x13.5"

**Features:**

- 600-Denier Nylon exterior with rugged aluminum valance & rack rail
- 2U PE reinforced 19" rack section with 13.5" rack depth
- 4 PE foam padded cavities for microphones with clip on, 4 cavities for body pack storage with antennas
- Pre-cut foam holds 16 batteries PE padded reinforced front & top lids
- Tricot lined compartment for lavalier microphones, headsets & accessories as well as an external accessory pocket
- Through-bolt reinforced handle & removable adjustable shoulder strap



Model	Weight	Mic Cavity	Body Pack Cavity	Exterior Dimensions
G-WIRELESS-2-GO	15.4lbs	10.25"x2"2"	4"x2.25"x1.25"	20"x20"x11"

**MICROPHONE / STAND BAG**

**Features:**

- 3 Separate compartments for microphone stands to prevent scratches & dings
- 600-Denier nylon construction with 5 form fitted microphone drops
- Webbed handles, carrying strap and zippered cable pocket



Model	Weight	Interior Dimensions	Exterior Dimensions
GX-33	4 lbs	43"x8"x8"	44"x9"x9"




**ATA POP-UP MIXER CASES**



Model	Weight	Interior Dimensions	Exterior Dimensions
G-MIX-8PU	16.25 lbs	19.25"x14"x6.5"	17.5"x21.5"x9.5"
G-MIX-12PU	19.25 lbs	19.25"x21"x6.5"	24.5"x21.5"x9.5"



*Gator's Pop-up Mixer Series use the patented Pop-Up Ratchet system for transporting your mixer flat then elevating to various angles for a quick setup. The compact size allows for smaller transportation area requirements, but this case is big on features. The Pop-Up Mixers include high density polyethylene cabinet, spring loaded twist latches, chrome-plated corners, pull-out handle, recessed wheels and spring loaded handles. With threaded rack rails and an added padded wrist rest on the G-MIX-12PU these cases are a perfect grab-n-go solution.*



**G-TOUR® MIXER CASES**

*Gator's G-Tour Mixer Cases have a fully adjustable interior to firmly hold your mixer in place during transport. As with all Gator G-Tour Series cases, the mixer series includes the Gator signature red Penn Elcom recessed MOL twist latches, spring-loaded rubber-gripped handles, Heavy-duty Penn Bright zinc-plated hardware and tongue-groove extrusion aluminium valance. What makes these cases a true tour style case is the thick 9mm plywood with PVC exterior construction for durability and the stackable ball corners for tight spaces. The tow handle and wheels for easy manoeuvring and completely removable lids with breakaway hinges to use the mixer in the case create a complete solution.*

Model	Weight	Interior Dimensions	Exterior Dimensions
G-TOUR-19X21	23 lbs	21"x19"x7"	26.5"x22"x9.9"
G-TOUR-20X25	24.8 lbs	25"x20"x8"	27.5"x22.375"x11.125"
G-TOUR-20X30	39.69 lbs	20"x30"x6.5"	24.41"x10.43"x36.81"
G-TOUR-24X36	46.31 lbs	36"x24"x5.5"	36.81"x24.41"x10.43"





**G-TOUR® POP-UP MIXER CASES**



**Feature:**

- Pop-up ratchet system
- 3.2mm thick rack rails
- 9mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Bright® zinc-plated hardware & stackable ball corners

Model	Weight	Interior Dimensions	Exterior Dimensions
G-TOUR 8PU	26.46 lbs	19.25"x14"x6.5"	21.65"x18.50"x12.40"
G-TOUR 12PU	33.08 lbs	19.25"x21"x6.5"	26.18"x21.65"x12.60"

**Feature:**

- Nearly indestructible lightweight polyethylene construction
- Angled pad & Velcro® wedge to hold mixer securely
- Tricot-lined foam interior
- Completely removable lids with breakaway hinges
- Rubber feet

**G-MIX 17X18 Feature:**

- Spring loaded carry handle
- Recessed lockable twist latches

**G-MIX 12X24, G-MIX 20X25, G-MIX 20X30,**

**G-MIX 22X46 & G-MIX 24X36 Feature:**

- Carry handle
- Pull-out handle and wheels
- Recessed locking twist latches

**G-MIX 19X21 Feature:**

- Chrome reinforced corners
- Pull-out handle
- Recessed roller blade-style wheels
- 3 Spring-loaded recessed handles

**ATA MIXER CASES**



Model	Weight	Interior Dimensions	Exterior Dimensions
G-MIX 12X24	14.33 lbs	12"x24"x4.25"	27.56"x15.75"x7.87"
G-MIX 17X18	16 lbs	17"x18"x6.5"	21.26"x20.47"x9.06"
G-MIX 19X21	19.80 lbs	19"x21"x7"	27.36"x23.43"x11.81"
G-MIX 20X25	21 lbs	20"x25"x8"	31"x25"x12"
G-MIX 20X30	24 lbs	20"x30"x6"	35.43"x25"x9.84"
G-MIX 22X46	32 lbs	22"x46"x6.5"	51.18"x25.98"x10.43"
G-MIX 24X36	29 lbs	24"x36"x6.5"	41.34"x27.76"x10.24"

**LIGHTWEIGHT MIXER CASES**

**Feature:**

- 600-Denier nylon exterior
- Padded Tricot lining and pyramid rubber feet
- Constructed of heavy-duty EPS foam
- Removable exterior accessory pocket
- Detachable padded shoulder strap and padded reinforced handles
- G-MIX-L1822 Fits Onyx® mixers

Model	Weight	Interior Dimensions	Exterior Dimensions
G-MIX-L1224	6 lbs	12"x24"x5"	26.25"x14.50"x7"
G-MIX-L1618	7 lbs	16"x18"x6"	21"x18.50"x7.75"
G-MIX-L1622	7.72 lbs	16"x22"x5"	25"x19.49"x8.27"
G-MIX-L1724	8 lbs	17"x24"x5"	28.35"x22.05"x9.06"
G-MIX-L1822	10 lbs	18"x22"x7"	25"x20"x9.50"



**MIXER BAGS**

**Feature:**

- 600-Denier nylon exterior
- 5mm spongy foam protection
- Protective Tricot lined interior
- Removable shoulder strap & comfortable webbed handles
- External storage pockets
- G-MIX-B1815, G-MIX-B2118 & G-MIX-B2519 Fits Onyx® mixers



Model	Weight	Interior Dimensions	Exterior Dimensions
G-MIX-B 1212	3 lbs	12"x11.75"x5.5"	13"x13"x6"
G-MIX-B 1515	3 lbs	15.125"x14.75"x5.5"	16"x16"x6"
G-MIX-B 1815	4 lbs	18.5"x15"x6.5"	25.60"x25.60"x2.80"
G-MIX-B 1818	4 lbs	18"x17.75"x5.5"	19"x19"x3"
G-MIX-B 2020	4 lbs	20"x20"x5.5"	21"x21"x3"
G-MIX-B 2118	5 lbs	21"x18.5"x7"	26.40"x26.40"x2.80"
G-MIX-B 2519	5 lbs	25"x19"x8"	27.60"x27.60"x2.80"

**ROLLING MIXER TRANSPORTER**

**Feature:**

- Constructed of 1/2" plywood covered in 600-Denier ballistic nylon
- Pull-out handle
- Roller blade-style wheels
- Large accessory compartments
- Tricot-lined interior



Model	Weight	Interior Dimensions	Exterior Dimensions
GPA-720	23 lbs	20"x13.50"x13"	25.59"x17.91"x16.93"

**STRETCHY MIXER COVERS**

**Feature:**


- Perfect for most mixers, digital recording workstations, & other gear
- Constructed of stretchy Lycra / Spandex®
- Adjustable shock cord assures snug fit
- Keeps dust off equipment when not in use
- Hand washable



Model	Weight	Dimensions
GMC-2222	.40 lbs	22"x22"x6"
GMC-3333	.40 lbs	33"x33"x6"
GMC-4221	.40 lbs	42"x21"x6"

Download Gator's Cross Reference and find out what case, bag or cover fits your gear.

To get your copy go to [www.gatorcases.com](http://www.gatorcases.com) and click on the "support" tab.





*Gator's Lightweight rolling laptop / rack case is perfect for mobile recording. The GSRW-2U has a built-in rigid reinforced interior frame with an aluminium valance for ultimate protection. The case is designed to allow the user to place a laptop in the padded 16.5"x12.5" reinforced pocket along with 2 spaces of rack gear in the bottom and use the equipment while still in the case. This unique case features a large rear flap allowing access to entire rear panel of equipment, a retractable, removable handle and wheels as well as an exterior pocket for storage.*

Model	Weight	Interior Dimensions	Exterior Dimensions
GSRW-2U	13.23 lbs	12.5"x19"x3.5"	21.46"x17.91"x10"



**Features:**

- Designed for mobile recording
- Includes audio interface, and external hard drive pockets
- Section for audio mixer, or projector
- MP3 storage compartments with several grommets for headphones
- Interior storage for cables with Velcro® cable management
- Laptop pocket and key chain holder
- 1680-Denier nylon EVA reinforced exterior with 420-Denier nylon interior
- Padded backpack straps and carry handle
- Breathable ventilation channel to keep cool when wearing
- Pocket with custom fit raincoat for bag
- Holds micro keyboards

**MEDIA PRO BACKPACK**



Model	Weight	(2) Interior Pocket #1	(2) Interior Pocket #2	(1) Interior Pocket #3	(2) Interior Pocket #4	External Dimensions
G-MEDIA PRO-BP	5 lbs	12"x15"x4"	6"x2"x2"	15"x17"x2"	5"x8"x2.5"	18"x16"x10"
G-MEDIA PRO-2U	2 Unit Rack Backpack - See <a href="http://www.gatorcases.com">www.gatorcases.com</a> for more information					



**STUDIO-2-GO® SERIES**

**All Feature:**

- Designed to be the modern-day recording center
- Features 2U of rack rail for rack mount recording devices & disk drive
- Padded area above for storing a laptop
- Access hole between top & bottom compartments allow the laptop to be permanently connected to the recording gear
- Easy zip open front & rear covers
- External storage compartment
- Shoulder strap & padded carrying handles



Model	Weight	Interior Dimensions	Exterior Dimensions
GSR-2U	15 lbs	13.75"x19"x3.5"	21.65"x17.91"x9.65"

**Features:**

- Rugged ATA-style polyethylene construction
- Available with 2U or 4U of rack rail for rack mount recording devices & disk drive
- Adjustable laptop compartment with no-slip web strap tie-downs
- Convuluted foam interior in lid
- Access hole between top & bottom compartments allow the laptop to be permanently connected to the recording gear
- GRC-STUDIO4GO-W includes retractable handle & wheels



Model	Weight	Interior Dimensions	Exterior Dimensions
GRC-STUDIO-2-GO	19.85 lbs	17.5"x19"x3.5"	24.80"x22.24"x12.80"
GRC-STUDIO4GO-W	25.36 lbs	17.5"x19"x7"	23.62"x22.64"x17.32"

**G-TOUR® DICED FOAM UTILITY CASES**

**All Feature:**

- 5mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches, spring-loaded rubber-gripped handles, and heavy-duty Penn Bright® hardware
- Reinforced stackable ball corners
- Recessed in line-style wheels and retractable handles
- Fits carry-on requirements

**G-TOUR-CARRY-ON PL Includes:**

- ATA-style carry-on for projectors and laptops
- Adjustable Tricot-covered EPS padded compartment with removable wedges
- Removable EVA foam-padded tray, and convuluted foam lid

**G-TOUR-CARRY-ON FO Includes:**

- Diced foam interior for customizing



Model	Weight	Interior Dimensions	Laptop Tray dimensions	Expandible Projector Cavity	2 Accessory Compartments	Exterior Dimensions
G-TOUR-CARRY-ON PL	20 lbs	see other dimensions	15"x11.125"x1.5"	9.5"x7.5"x4" - 14"x11"x4"	5.75"x2.5"x4.25"	22"x14"x9"
G-TOUR-CARRY-ON FO	18 lbs	19"x12.5"x6.5"	N/A	N/A	N/A	22"x14"x9"

**ROLLING LAPTOP/MIDI CONTROLLER CASE**



**Features:**

- Rolling backpack designed to carry most 25-note controllers and laptop
- Exterior storage for interfaces, cables, and other accessories
- Removable, retractable wheels and handle
- Expandable top accommodates up to 37 note controllers
- 1680-Denier nylon construction
- Padded interior and inserts protect gear
- Backpack straps can be hidden inside exterior pocket when handle is in use

Model	Weight	Interior Dimensions	Exterior Dimensions
GK-LT-25W	9.20 lbs	25"x12"x3"	24"x16"x12"

**LAPTOP / GEAR PADDED BAGS**

**Features:**

- Projector / laptop / gear carry case
- Meets airline regulations for carry-on's
- Two padded compartments & a file compartment
- Collapsible interior compartment
- Padded carry handle and removable non-slip shoulder strap
- GAV-20 is constructed of 1680-Denier nylon
- GAV-DLX-20 is constructed of leather-like material



Model	Weight	Laptop Section Dimensions	Projector / Gear Section Dimensions	Exterior Dimensions
GAV-20	4.32 lbs	14"x3.5"x10.5"	14"x6"x10.5"	16.93"x16.93"x3.50"
GAV-DLX-20	5 lbs	14"x3.5"x10.5"	14"x6"x10.5"	16.93"x16.93"x3.50"

**LAPTOP / GEAR ROLLING BAGS**

**Features:**

- Professional projector / laptop / gear case
- Meets airline regulations for carry on's
- Interior blocking system with removable laptop shoulder bag
- Accessory pockets and telescoping pull-out handle
- Six self-lubing roller blade-style wheels
- Removable shoulder strap
- GAV-1412R & GAV-1813-UR constructed from 1680-Denier nylon
- GAV-DLX-1412R constructed from leather-like material



Model	Weight	Laptop Section Dimensions	Projector / Gear Section Dimensions	Exterior Dimensions	Laptop/Gear Bag Dimensions
GAV-1412R	13.23 lbs	12"x14"x3.5"	12"x14"x4"	18"x17"x8.5"	11"x13.5"x2"
GAV-DLX-1412R	11 lbs	12"x14"x3.5"	12"x14"x4"	18"x17"x8.5"	11"x13.5"x2"
GAV-1813-UR	11.03 lbs	13"x18"x3.5"	13"x18"x4"	21.26"x18.90"x9.06"	13"x18"x2"

**ATA LAPTOP / GEAR ROLLING CASE**

**Features:**

- Professional projector / laptop / gear case
- Rugged polyethylene construction
- Telescoping handle and recessed wheels
- Interior blocking system accommodates different size projectors
- Meets airline specifications for carry-on or check-in
- No-slip padded straps to secure laptop and projector
- Convoluted foam lid for laptop section



Model	Weight	Laptop Section Dimensions	Projector / Gear Section Dimensions	Exterior Dimensions
GAV-PE-1412R	14.5 lbs	14"x12"x3.5"	14"x12"x4"	15.94"x15.55"x12.2"



**STUDIO RACK CABINETS**



**Features:**

- 19" Studio rack cabinets
- 5/8" thick MDF furniture grade black oak laminate
- Rack rails constructed of 3.2mm heavy-duty cold rolled steel
- GR-STUDIOSL-10U is a slant top rack and has a top internal depth of 12.5" and bottom internal depth of 16.5"
- GR-STUDIOSL-18U is a slant top rack and has a top internal depth of 12.5" and bottom internal depth of 18"
- GR-STUDIO12x16U & GR-STUDIOSL-18U include casters

Model	Weight	Rack Units	Exterior Dimensions
GR-STUDIO-4U	22 lbs	4	16.5"x20.5"x6.75"
GR-STUDIO-8U	26 lbs	8	16.5"x20.5"x13.75"
GR-STUDIO-12U	30 lbs	12	16.5"x20.5"x22"
GR-STUDIO-16U	34 lbs	16	16.5"x20.5"x28"
GR-STUDIO-20U	38 lbs	20	16.5"x20.5"x35"
GR-STUDIOSL-10U	24 lbs	10	18"x20.5"x18.5"
GR-STUDIOSL-18U	28 lbs	18	18"x20.5"x31"
GR-STUDIO-12X8U	42 lbs	10	18"x20.5"x21"
GR-STUDIO-12X16U	46 lbs	28	18"x20.5"x28"

**G-TOUR® RACK CASES**



**All G-Tour Racks Feature:**

- 9mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Bright® zinc-plated hardware and reinforced stackable ball corners
- 3.2mm thick front & rear rack rails
- Tongue and groove extruded aluminum valance

**G-TOUR-SHOCK RACKS Feature:**

- Compressed polyethylene shock absorbing foam interior rack cradle

**G-TOUR POP-UP CONSOLES Features:**

- Mobile audio 19" console rack with pop-up top-loaded rack
- Top rack uses a pop-up ratchet system for transporting flat then elevating to various angles
- 4" heavy-duty industrial casters, 2 which are locking
- 2 spring-loaded recessed handles on each side for easy lifting to stage or truck



Rack Type	Model	Weight	Rack Units	External Dimensions	Rackable Depth
SHOCK RACK	G-TOUR-SHK-4	45 lbs	4	25.5"X25.5"X14"	17"
SHOCK RACK W/CASTERS	G-TOUR SHK-8-CAST	60 lbs	8	25.5"X25.5"X25.5"	17"
SHOCK RACK W/CASTERS	G-TOUR SHK-12-CAST	112 lbs	12	28"X25.5"X25.5"	17"
POP-UP CONSOLE	G-TOUR 10X12PU	99.23 lbs	22	36.02"X26.77"X23.23"	22.5"
POP-UP CONSOLE	G-TOUR 10X14PU	104 lbs	24	39.76"X26.77"X23.23"	22.5"
POP-UP CONSOLE	G-TOUR 10X16PU	106 lbs	26	42.91"X26.77"X23.23"	22.5"
FIXED SLANT TOP	G-TOUR GRC12X12	110 lbs	24	33"x21.5"x29"	24"



**G-TOUR® RACK CASES**

**All G-Tour Racks Feature:**


- 9mm plywood construction with PVC exterior
- Red Penn Elcom® recessed MOL twist latches and spring-loaded rubber-gripped handles
- Heavy-duty Penn Bright® zinc-plated hardware and reinforced stackable ball corners
- 3.2mm thick Front & rear rack rails
- Tongue and groove extruded aluminum valance

**G-TOUR-4UW Features:**

- 2 Wheels & retractable handle

**G-TOUR 10U, 12U, 14U & 16U CAST Features:**

- 4 Fixed, heavy-duty 4" casters, 2 of which lock



Rack Type	Model	Weight	Rack Units	External Dimensions	Rackable Depth
SHALLOW FX RACKS	G-TOUR-EFX2	18.74 lbs	2	23.0"X5.91"X22.44"	13"
SHALLOW FX RACKS	G-TOUR-EFX-4	26.46 lbs	4	23.03"X9.45"X22.44"	13"
SHALLOW FX RACKS	G-TOUR-EFX6	28.67 lbs	6	23.03"X12.99"X22.44"	13"
SHALLOW FX RACKS	G-TOUR-EFX8	32.37 lbs	8	23.03"x15.25"x22.44"	13"
SHALLOW FX RACKS	G-TOUR-EFX12	40 lbs	12	23.03"x22.75"x22.44"	13"
STANDARD	G-TOUR 2U	24 lbs	2	26"X21.5"X5.5"	17"
STANDARD	G-TOUR-4U	28.67 lbs	4	26"X21.5"X9"	17"
STANDARD	G-TOUR-6U	34.18 lbs	6	26"X21.5"X12.5"	17"
STANDARD	G-TOUR-8U	37.49 lbs	8	26"X21.5"X16"	17"
STANDARD	G-TOUR-12U	63.95 lbs	12	26"X23"X21.5"	17"
STANDARD W/WHEELS	G-TOUR-4UW	33.08 lbs	4	26"X21.5"X11"	17"
STANDARD W/CASTERS	G-TOUR-10U CAST	61.74 lbs	10	26"X21"X19"	17"
STANDARD W/CASTERS	G-TOUR-12U CAST	68.36 lbs	12	29"X26"X21.5"	17"
STANDARD W/CASTERS	G-TOUR-14U CAST	72.77 lbs	14	32.5"X26"X21.5"	17"
STANDARD W/CASTERS	G-TOUR-16U CAST	77.18 lbs	16	36"X26"X21.5"	17"
DEEP RACKS W/CASTERS	G-TOUR-12CAST-24D	70 lbs	12	29"x30"x21.5"	24"
DEEP RACKS W/CASTERS	G-TOUR-16CAST-24D	79 lbs	16	36"x30"x21.5"	24"

## POLYETHYLENE RACKS

### Features:

- Lightweight polyethylene construction
- Comfortable recessed side handles (not available on the GR-2S model)
- Threaded, field-replaceable 7mm zinc-plated steel rack rails
- Front & rear rack rails
- Heavy-duty twist latches



	Model	Rack Units	Weight	Rack Depth	Exterior Dimensions
Shallow	GR-2S	2	9 lbs	14.25	7"x22"x16.75"
Shallow	GR-3S	3	10 lbs	14.25	8.25"x22"x16.75"
Shallow	GR-4S	4	11 lbs	14.25	10"x22"x16.75"
Shallow	GR-6S	6	13 lbs	14.25	13.5"x22"x16.75"
Standard	GR-2L	2	10 lbs	18.75	6.5"x22"x22.375"
Standard	GR-4L	4	13 lbs	18.75	10"x22"x22.375"
Standard	GR-6L	6	14 lbs	18.75	13.5"x22"x22.375"
Standard	GR-8L	8	17 lbs	18.75	17"x22"x22.375"
Standard	GR-10L	10	18 lbs	18.75	20.5"x22"x22.375"
Standard	GR-12L	12	19 lbs	18.75	24"x22"x22.375"
Rolling	GRR-4L	4	17 lbs	18.75	10.75"x21.5"x22.75"
Rolling	GRR-6L	6	18 lbs	18.75	14.25"x21.5"x22.75"
Rolling	GRR-8L	8	20 lbs	18.75	17.75"x21.5"x22.75"
Rolling	GRR-10L	10	23 lbs	18.75	20"x21.5"x22.75"
Rolling/Power	GRR-4PL-US	4	23 lbs	18.75	10.75"x21.5"x22.75"
Rolling/Power	GRR-6PL-US	6	24 lbs	18.75	14.25"x21.5"x22.75"
Rolling/Power	GRR-8PL-US	8	27 lbs	18.75	17.75"x21.5"x22.75"
Rolling/Power	GRR-10PL-US	10	30 lbs	18.75	21.25"x21.5"x22.75"

## SHALLOW RACKS

### Shallow Racks Feature:

- Compact 14.25" rack depth



## STANDARD RACKS

### Standard Racks Feature:

- 18.75" rackable depth
- Locking lids



Shown stacked on a Gator caster board

## ROLLING RACKS

### Rolling Racks Feature:

- Rugged pull-out handle
- Roller-blade style recessed wheels
- Locking lids



## ROLLING POWERED RACKS

### Powered Features:

- Master on/off switch with indicator light
- 5 Outlets (4 rear, 1 front)
- Push to reset 15 amp circuit breaker
- Rugged pull-out handle and roller blade-style recessed wheels
- Locking lids





**SHOCK RACKS**



**Features:**

- Lightweight polyethylene construction
- Independent rubber shock absorbers at each corner
- 360 Degree air ventilation around equipment
- 7mm Threaded field replaceable zinc plated rack rails
- Adjustable interior sliding support on each side of rack adjusts front to back and up and down for rear support of gear
- Comfortable recessed side handles and locking lids
- Heat-treated 10/32 rail bolts & washers included

Model	Weight	Rack Depth	Rack Units	Exterior Dimensions
G-SHOCK-4L	21 lbs	17.5"	4	25.59"x23.03"x13.19"
G-SHOCK-8L	29 lbs	17.5"	8	25.59"x23.43"x20.08"
G-SHOCK-12L	34 lbs	17.5"	12	26.18"x25.59"x23.43"
G-SHOCK-16L	45 lbs	17.5"	16	34.25"x25.59"x23.43"

**SLANT TOP CONSOLE RACKS**

**Features:**

- Lightweight polyethylene construction
- Front, rear & top rack rails
- Threaded field-replaceable 7mm zinc-plated steel rails
- Recessed side handles
- Rear wire access
- Compact size for easy transport
- Heat treated bolts with protective washers included



Model	Weight	Rack Depth	Rack Units	Exterior Dimensions
GRC-6X2	17 lbs	14"	8	22.05"x17.72"x13.39"
GRC-6X4	18 lbs	14"	10	22.44"x18.31"x17.52"
GRC-8X2	22 lbs	16"	10	22.05"x20.08"x16.93"
GRC-10X2	24 lbs	18"	12	24.61"x22.52"x17.52"
GRC-10X4	22 lbs	18"	14	24.02"x22.44"x21.26"
GRC-10X6	28 lbs	18"	16	24.02"x23.62"x22.44"
GRC-10X8	29 lbs	18"	18	27.56"x24.61"x22.83"

**Features:**

- Lightweight polyethylene construction
- Fits under any Gator GRC rack or Standard rack
- Heavy-duty twist latches
- 4 Wheels, 2 locking
- Recessed side handle

Model	Weight	Rack Depth	Rack Units	Exterior Dimensions
GRC-BASE-10	33 lbs	24"	10	26.77"x22.44"x20.47"
GRC-BASE-14	39 lbs	24"	14	26.77"x29.44"x20.47"

**ROLLING RACK BASE**



**Fits Under Any Gator Slant Top or Standard Rack**

**Features:**

- Mobile audio 19" console rack with pop-up top-loaded rack
- High-density polyethylene construction
- Top rack uses a pop-up ratchet system for transporting flat then elevating to various angles
- Threaded rack rail
- Side handles for easy lifting to stage or truck

**GRC-10x8PU Features:**

- Works with Gator's GA-300 caster kit

**POP-UP CONSOLE RACKS**

**GRC-10x11PUP Features:**

- Built-in power distribution center
- Gator power distribution center in the bottom with four outlets on rear & one in front
- 4" heavy-duty industrial casters, 2 of which are locking
- Master on/off switch
- 15-amp circuit breaker

**GRC-10x11PU & 12x10PU**

**Features:**

- 4" heavy-duty industrial casters, 2 of which are locking

Model	Top Space	Bottom Space	Weight	Rack Depth	Exterior Dimensions
GRC-10X8PU	10	8	32 lbs	22.5"	26.57"x23.03"x21.46"
GRC-10X12PU	10	12	54 lbs	22.5"	29.92"x26.38"x21.46"
GRC-12X10PU	12	10	54 lbs	25.5"	27.56"x26.77"x21.65"
GRC-10X11PUP	10	11	63 lbs	22.5"	29.92"x26.38"x21.46"





## ROTO MOLD CONSOLE RACKS



### Features:

- Rotational-molded polyethylene console rack
- 420-Denier nylon dust cover
- Heavy-duty rack rail
- Molded in carry handles

Model	Top Space	Bottom Space	Weight	Rack Depth	Exterior Dimensions
GDJ-8X2	8	2	12 lbs	16"	22.5"x20"x12"
GDJ-8X4	8	4	16 lbs	16"	23"x20"x15"
GDJ-10X6	10	6	18.74 lbs	18"	24"x23"x18"

## WOOD CONSOLE RACKS



### Features:

- Lightweight wood console racks
- Slanted top rack rail is perfect for mixers
- Comfortable side handles
- Removable padded cover with Velcro® over the front, top & rear

Model	Top Space	Bottom Space	Weight	Rack Depth	Exterior Dimensions
GRCW-10X4	10	4	22 lbs	18"	22.83"x22.83"x17.13"
GRCW-10X6	10	6	26 lbs	18"	22.83"x22.83"x21.06"

## ROLLING RACK BAG



### Features:

- Lightweight-style rack bags great for effects processors, recording equipment & sound modules
- Polyethylene-reinforced interior frame
- New enlarged rear flap allows access to entire rear panel of equipment
- 600-Denier nylon exterior
- Threaded field-replaceable rack rails
- Internal reinforced aluminum valance
- Retractable, removable handle & wheels
- Exterior pocket for cables etc.

Model	Weight	Rack Units	Rack Depth	Exterior Dimensions
GRBW-2U	8 lbs	2	17"	23"x16.5"x8"
GRBW-3U	11 lbs	3	17"	23"x15.5"x9"
GRBW-4U	13 lbs	4	17"	23"x17.91"x10"

## RACK BAGS



### Features:

- Portable lightweight racks
- Close-grained 9mm plywood cabinets covered in padded 600-Denier nylon
- Threaded rail & zip-out flaps
- Large outside accessory pockets
- Heavy-duty shoulder strap
- Two padded carrying straps

Model	Weight	Rack Units	Rack Depth	Exterior Dimensions
GRB-2U	8 lbs	2	17"	21.46"x17.91"x6.89"
GRB-3U	11 lbs	3	17"	21.46"x17.91"x8.66"
GRB-4U	13 lbs	4	17"	21.46"x17.91"x10.43"

## RACK CAGES



### Features:

- Cage adds over 5" of extra storage
- Zippered mesh pocket
- Perfect for cables & accessories
- GCAGE-4L, 6L, 8L and 10L work with standard and shallow racks
- GCAGE-4RL, 6RL, 8RL and 10RL work with roller and powered racks

Model	Weight	Interior Dimensions	Exterior Dimensions
GCAGE-4L	3.42	5.5"x19"x7"	23.03"x10.43"x6"
GCAGE-6L	4.19	5.5"x19"x10.5"	23.03"x13.78"x6"
GCAGE-8L	5.25	5.5"x19"x14"	23.03"x16.93"x6"
GCAGE-10L	5.96	5.5"x19"x17.5"	23.03"x20.87"x6"
GCAGE-4RL	3.75	5.5"x19"x7"	23.03"x12.4"x6"
GCAGE-6RL	4.41	5.5"x19"x10.5"	23.03"x15.75"x6"
GCAGE-8RL	5.63	5.5"x19"x14"	23.03"x18.9"x6"
GCAGE-10RL	6.4	5.5"x19"x17.5"	23.03"x22.83"x6"

## LAPTOP RACK TRAY



### Features:

- Polyethylene construction with 5mm foam covered in Tricot
- Provides a flat workspace for most slant-top racks, including Gator's console rack cases
- Designed for laptop and non-rackable mixers
- Two cable ports allow for cable access in and out of tray
- Fits in 8U space

Model	Weight	Interior Dimensions	Exterior Dimensions
GR-LT-8	.5 lbs	17"x12.5"x3.5"	19"x14"x5"

**RACK TABLE**



**Features:**

- Rugged polyethylene table to secure to top of rack creating a flat surface for equipment
- Fits most manufacturers plastic rack male/female stacking systems
- Table cinches down to rack handles with webbing and a tightening fastener
- Table top is covered with industrial grade Velcro® & includes Velcro® strips for mounting

Model	Weight	Exterior Dimensions
GR-TABLE	9 lbs	29.53"x19.88"x2.95"

**CASTER BOARDS**



**Features:**

- High density 3/4" industrial acrylic coated plywood
- Held in place using 2 locking web straps
- Supports up to 400 pounds
- 4" Industrial grade casters
- GA-100 fits standard rack cases
- GA-200 fits shock rack cases
- GA-300 fits console rack cases

Model	Weight	Exterior Dimensions
GA-100	15 lbs	21.4"x16.9"x1"
GA-200	15 lbs	22.2"x17.7"x1"
GA-300	17 lbs	24.9"x22"x1"

**SPEAKER / STAND BAGS**

**Features:**

- Designed for carrying 2 speaker stands
- 600-Denier nylon construction
- 2 Separate compartments to prevent stands from scratching each other
- Webbed handles, carrying strap & #10 heavy-duty zippers

Model	Weight	Exterior Dimensions
GPA-50	2 lbs	50"x9"x9"
GPA-88	2 lbs	57.5"x16.5"x2"



**ROLLING SUB WOOFER BAG**



**Features:**

- Nylon exterior with built-in caster plate
- 4 Wheels 2 Fixed for control while transporting
- Adjustable, removable Nylon strap tow handle
- 4 Reinforced lift handles & 2 Nylon web handles to assist placing on sub woofer
- 2 Protective skid bars
- 2 External accessory pockets

Model	Weight	Interior Dimensions	Exterior Dimensions
G-SUB-2225-24	21 lbs	27"x24"x22"	25.5"x24.5"x30"

**SPEAKER BAGS**

**Features:**

- 1680-Denier nylon exterior with roto molded polyethylene base
- Retractable handle
- Four (4) 100 pound test in-line wheels
- Fits EON 15 MACKIE SRM 450, EV SX100 & many other plastic speaker enclosures
- 20mm Tricot padded interior
- New dual zipper design
- Nylon webbed carry handles
- External accessory pocket



Model	Weight	Interior Dimensions	Exterior Dimensions
GPA-777	16 lbs	28"x18"x16"	30"x20"x18"

**SPEAKER BAG**

**Features:**

- Designed to fit most popular molded speaker cabinets
- Bottom of bag has structured foam to cradle the speaker
- Rugged pull-out handle and 6 wheel assembly (not included on GPA-E15 or GPA-450)
- 600-Denier nylon construction with 10mm side foam
- GPA-E15/GPA-450 have handle cutout to for JBL-EON 15 Series (GPA-E15) or Mackie 450/300 Series (GPA-450)
- 2 Accessory pockets and 1 large side pocket



Model	Weight	Interior Dimensions	Exterior Dimensions
GPA-600	12.2 lbs	23.5"x17"x15.5"	27"x18"x17"
GPA-700	14 lbs	28"x19.5"x16.5"	32"x19"x19"
GPA-E15	9 lbs	28"x19.5"x16.5"	32"x19"x19"
GPA-450	9 lbs	28"x19.5"x16.5"	32"x19"x19"

## FLOOR STANDING RACK



Optional lock knock-out



Spring-loaded latches



11 gauge numbered rack rail



Spring-loaded Push & Turn locking system.  
\*on glass door only



### Features:

- Meets ANSI/EIA RS-310-D, DIN41491;Part1, IEC297-2, DIN41491;Part7, GB/T3047.2-92 standards
- 18 gauge removable side panels with spring latch
- 18 gauge SPCC cold rolled steel top and bottom
- Perforated top
- 11 gauge front rack rail
- 10/32 rack screws
- Rack U numbers printed on the rack rail
- 1/2", 5/8", 3/4", 1" and 1 1/2" cable entry knockouts on top
- 5/8" knockout designed to be used for VHF/UHF antenna
- Black powder coated finish
- Adjustable depth front rack rails
- Cabinets are gangable using optional baying kit
- Quick release front and rear doors
- Spring-loaded, push & turn locking system on glass door only

### Front Door Styles (locking front door included with rack):

- Toughened glass with vented sides and spring loaded push and turn locking system
- 18 gauge Solid Steel
- Steel with hexagonal vent pattern

### Back Door Styles (locking back door included with rack):

- 18 Gauge solid steel
- Steel with hexagonal vent pattern

### OPTIONS-

#### Caster Kit

- 2" Heavy-duty caster kit (2 locking, 2 non-locking)
- Adjustable 11 gauge drilled and tapped rear rack rail

#### Leveling Kit



- 4 adjustable feet for stabilizing rack

#### Baying Kit

- Clips for making floor standing racks gangable




Model	Rear Door	Front Door	Rack Units	Overall Depth	Overall Width	Overall height	Height w/ Casters	Racking Height
GR-FS4B1823TDB	Steel	Vented Glass	18	23.6	23.6	38.9	41.7	31.5
GR-FS4B1823TBB	Steel	Steel	18	23.6	23.6	38.9	41.7	31.5
GR-FS4B2223TDB	Steel	Vented Glass	22	23.6	23.6	45.9	48.7	38.5
GR-FS4B2223TBB	Steel	Steel	22	23.6	23.6	45.9	48.7	38.5
GR-FS4B2723TDB	Steel	Vented Glass	27	23.6	23.6	54.6	57.4	47.25
GR-FS4B2723TBB	Steel	Steel	27	23.6	23.6	54.6	57.4	47.25
GR-FS4B4223TDB	Steel	Vented Glass	42	23.6	23.6	80.9	83.7	76.3
GR-FS4B4223TBB	Steel	Steel	42	23.6	23.6	80.9	83.7	76.3
GR-FS4B4235TDB	Steel	Vented Glass	42	35.4	23.6	80.9	83.7	76.3
GR-FS4B4235TBB	Steel	Steel	42	35.4	23.6	80.9	83.7	76.3




Dimensions are in millimeters

	A	B	C	D	E
18U	23.6	38.9	31.5	23.6	TBA
22U	23.6	45.9	38.5	23.6	TBA
27U	23.6	54.6	47.25	23.6	TBA
42U	23.6	80.9	76.3	23.6/35.4	TBA


Dimensions are in inches




Removable side panels on both sides



Vented rear door for air circulation



Lockable rear door



Adjustable depth front and rear rack rails

## WALL HANGING FIXED RACKS


### Features:

- Fixed back single section welded frame construction
- Comes with removable 18 gauge mounting panel for easy wall installation
- 18 gauge removable side panels with spring latch
- 18 gauge cold rolled steel top and bottom
- Fan ready perforated top
- 11 gauge drilled and tapped front and rear rack rails
- Rack U numbers printed on the rack rail
- 10/32 rack screws
- 1/2", 5/8", 3/4", 1" and 1 1/2" cable entry knockouts on top
- 5/8" knockout designed to be used for VHF/UHF antenna
- 10" x 10" rear access knockout for cable entry


### Front Door Styles (locking front door included with rack):

- Toughened glass with vented sides and spring loaded push and turn locking system
- 18 gauge Solid Steel
- Steel with hexagonal vent pattern


Model	Front Door	Rack Units	Overall Depth	Overall Width	Overall height	Racking Height
GR-WF4B0917TD	Vented Glass	9	17.7	23.6	19.7	15.75
GR-WF4B0917TB	Steel	9	17.7	23.6	19.7	15.75
GR-WF4B1217TD	Vented Glass	12	17.7	23.6	25	21
GR-WF4B1217TB	Steel	12	17.7	23.6	25	21




Front (without front door)



Side



Front (toughened glass door)




Top

Knockouts shown in drawing below

### Legend

	A	B	C	D	E
9U	23.62	19.72	15.75	17.72	TBA
12U	23.62	25	21	17.72	TBA

Dimensions are in inches



Cable Entry Panel Knockouts

Dimensions are in millimeters


### Features:

- Hinged back double section welded frame construction
- 18 gauge removable side panels with spring latch
- 18 gauge cold rolled steel top and bottom
- Fan ready perforated top
- 11 gauge drilled and tapped front and rear rack rails
- Rack U numbers printed on the rack rail
- 10/32 rack screws
- 1/2", 5/8", 3/4", 1" and 1 1/2" cable entry knockouts on top
- 5/8" knockout designed to be used for VHF/UHF antenna
- 10" x 10" rear access knockout for cable entry


### Front Door Styles (locking front door included with rack):

- Toughened glass with vented sides and spring loaded push and turn locking system
- 18 gauge Solid Steel
- Steel with hexagonal vent pattern


Model	Front Door	Rack Units	Overall Depth	Overall Width	Overall height	Racking Height
GR-WH4B0921TB	steel	9	21.6"	23.6"	19.7"	15.75"
GR-WH4B0921TD	vented glass	9	21.6"	23.6"	19.7"	15.75"
GR-WH4B1221TB	steel	12	21.6"	23.6"	25"	21"
GR-WH4B1221TD	vented glass	12	21.6"	23.6"	25"	21"
GR-WH4B1821TB	steel	18	21.6"	23.6"	35.5"	31.5"
GR-WH4B1821TD	vented glass	18	21.6"	23.6"	35.5"	31.5"




Front



Side



Toughened glass door (front)




Top

Knockouts shown in drawing below

### Legend

	A	B	C	D	E
9U	23.62	19.72	15.75	21.65	TBA
12U	23.62	25	21	21.65	TBA
18U	23.62	35.47	31.5	21.65	TBA

Dimensions are in inches



Cable Entry Panel Knockouts

Dimensions are in millimeters



## RACK DRAWERS

### Features:

- Cold roll 16 gauge steel construction
- Fully enclosed drawer & spring-loaded latches
- Lock knock-out, lock and key included
- Black powder coated finish
- Heavy duty smooth glide drawer slides

### Standard Rack Drawer Features:

- Two 2" rubber grommets for rear access

### Hard Wired Drawer Features:

- 2U Rack drawer stores 10 hard wired microphones
- Dense polyurethane nest for microphone protection
- Each microphone cavity is 6.5 x 2 x 2

### Wireless Drawer Features:

- 3U size drawer with wireless microphone nest
- Nest stores 4 wireless microphones, body packs, headsets and accessories
- Wireless storage accommodates microphones with clip still attached
- Body pack and microphone storage area lined with polyethylene foam with tricot covered plywood dividers
- Foam storage compartment with cut-outs to hold up to 16 AA batteries
- Spacious accessory compartment to hold larger items and head-worn microphones



Model	Space Unit
GE-DRAWER-2U	2
GE-DRAWER-3U	3
GE-DRAWER-4U	4
GE-WIRELESSDRWR	3
GE-MIC10-DRWR	2

## KEYBOARD DRAWER/SHELF



Model	Space Unit
GE-KBD-DRAWER	1
GE-KBD-SHELF	2

### Features:

- Cold roll 16 gauge steel construction
- Black powder-coated finish

### Keyboard Drawer Features:

- Compartment for keyboard with separate compartment for mouse
- Cable management system with retractable arm
- Rear access for cables
- Fits most standard small pattern keyboards

### Keyboard Shelf Features:

- Dual staggered shelf design
- Sliding shelf for keyboard with mouse shelf
- Fits most standard keyboards


## RACK SHELVES

### Features:

- Cold roll 16 gauge steel construction
- Black powder-coated finish
- Rear flange for rigidity

### Vented shelves Feature:

- Elongated vent holes for optimum air circulation
- GE-SHLF-SLD-1U is a sliding vented 1U shelf



Model	Space Unit	Depth
GE-SHLF10-1U	1	10"
GE-SHLF15-2U	2	15"
GE-SHLFVNT15-1U	1	15"
GE-SHLFVNT15-2U	2	15"
GE-SHLFVNT17-3U	3	17"
GE-SHLF-SLD-1U	1	N/A

### SCREWS & HARDWARE FEATURES:

- Corrosion resistant coating
- 10/32 threaded, 3/4" long
- Protective cup washer included

Model	Quantity
GE-SCRW-P-100	100
GE-SCRW-P-25	25




**RACK PANELS**

Panel Type	Model	Construction	Unit	Style
Vented	GE-PNLVNT-1U	Steel	1	Flanged
Vented	GE-PNLVNT-2U	Steel	2	Flanged
Vented	GE-PNLVNT-4U	Steel	4	Flanged
Perforated	GE-PNLVNTSTD-1U	Steel	1	Flanged
Perforated	GE-PNLVNTSTD-2U	Steel	2	Flanged
Perforated	GE-PNLVNTSTD-4U	Steel	4	Flanged
Security	GE-PNLSECFIX-1U	Steel	1	Raised
Security	GE-PNLSECFIX-2U	Steel	2	Raised
Security	GE-PNLSECFIX-3U	Steel	3	Raised
Security	GE-PNLSECFIX-4U	Steel	4	Raised
Standard	GE-PNL-ALBFLG-1	Aluminum	1	Flanged
Standard	GE-PNL-ALBFLG-2	Aluminum	2	Flanged
Standard	GE-PNL-ALBFLG-4	Aluminum	4	Flanged
Standard	GE-PNL-ALBFLT-1	Aluminum	1	Flat
Standard	GE-PNL-ALBFLT-2	Aluminum	2	Flat
Standard	GE-PNL-ALBFLT-4	Aluminum	4	Flat
Standard	GE-PNL-ST-FLG-1	Steel	1	Flanged
Standard	GE-PNL-ST-FLG-2	Steel	2	Flanged
Standard	GE-PNL-ST-FLG-4	Steel	4	Flanged
Standard	GE-PNL-ST-FLT-1	Steel	1	Flat
Standard	GE-PNL-ST-FLT-2	Steel	2	Flat
Standard	GE-PNL-ST-FLT-4	Steel	4	Flat


**All Feature:**

- Cold roll 16 gauge steel construction, Standard panels are offered both in aluminum and cold rolled steel
- Flat and flanged models available
- Black powder coating on steel panels
- Vented panels have elongated vent holes
- Perforated panels have 5/32" vent holes
- Security panels have 5/32" holes, non PVC rubber edging to prevent scratching of gear and a 1" raised space between panel and gear.



**Eye-catching Retail Packaging**

**FAN PANELS**



**FAN PANEL FEATURES:**

- Cold roll 16 gauge steel construction
- Elongated, contoured vent holes
- Flanged for support
- Black powder coated
- Available with or without UL approved 110VAC 4.5" fan(s)

Model	Fan Space	Fan
GE-FANPNL1-110V	1	Included
GE-FANPNL2-110V	2	Included
GE-FANPNL3-110V	3	Included
GE-PNL-FAN1	1	Not Included
GE-PNL-FAN2	2	Not Included
GE-PNL-FAN3	3	Not Included

**COOLING FAN FEATURES:**

- UL Approved 110VAC flush mount 4.5" fan
- GE-FAN-110-STD is standard fan design (110 CFM rating)
- GE-FAN-110-QT has ball bearing quiet design (50 CFM rating)
- Mounting hardware included

**COOLING FANS**

Model
GE-FAN-110-QT
GE-FAN-110-STD



**FEATURES:**

- UL Approved 110v power strip
- Main Power Switch
- GE-PDU-6UL is rack mountable

**POWER DISTRIBUTION**

Model	Outlets
GE-PDU-12UL	12
GE-PDU-18UL	18
GE-PDU-6UL	6





**Your One Manufacturer For All Your Case Needs**

**[www.gatorcases.com](http://www.gatorcases.com)**

18922 North Dale Mabry Hwy

Lutz, FL 33548

Tel: 813.221.4191

Fax: 813.221.4181

©Gator Cases 2008. Subject To Change Without Notice. All Rights Reserved

**WWW.GATORCASES.COM**